| POPULATION ESTIMATE | S | LONG-TERM (| CARE | LOCAL HEALTH DEPARTI | MENTS |
|--|-----------|--|-----------------|---|---|
| Total 2002 Population 442,420 | | Community Options and MA Waiver Programs | | | Per 10,000 |
| Population per square mile | 368 | İ | | Staffing - FTE Number | Populátion l |
| County ranking in state (| 1-72) 6 | Clients COP 114 | s Costs | Total staff 159 Administrative 15 Professional staff 97 Technical/Paraprof. 16 Support staff 31 | 3.6 |
| (| – , | COP 114 | \$2,448,502 | Administrative 15 | 0.3 |
| Age Female Male | Total | MA Waiver * | . , | Professional staff 97 | 2.2 |
| 0-14 39,320 41,040 | 80,370 | CIP1A 83 | 88.735.445 | Technical/Paraprof. 16 | 0.4 |
| 15-19 16,490 16,650 | 33,120 | CIP1B 891 | 1 \$46.468.991 | Support staff 31 | 0.7 |
| 20-24 23,920 24,320 | 48,240 | MA Walver * CIP1A | 3 \$5,533,241 | '' | |
| 25-29 16,300 17,750 | 34,050 | COP-W 437 | 7 \$5.123.510 | Funding Total \$11,399,092 Local Taxes \$7,333,260 | Per capita |
| 30-34 16,520 17,540 | 34,060 | CSLA | 3 \$38,105 | Total \$11.399.092 | \$25,97 |
| 35-39 17,320 17,470 | 34,790 | Brain Injury 31 | 1 \$2,708,958 | Local Taxes \$7,333,260 | \$16.71 |
| 40-44 18,220 17,910 | 36,130 | Total COP/Wvrs 1,942 | 2 \$71,056,752 | | |
| 45-54 32,680 31,870 | 64,550 | · | . , , | LICENSED ESTABLISHM | ENTS |
| 55-64 18,360 17,540 | 35,900 | \$3,068,364 of the abo | | | Ì |
| 65-74 11,120 9,280 | 20,400 | were paid as local ma | atch/overmatch | Type Capacity Bed & Breakfast 94 Camps 852 Hotels, Motels 8,116 Tourist Rooming 25 Pools | Facilities |
| 75-84 8,900 5,900 | 14,800 | using COP funds. Thi | is amount is | Bed & Breakfast 94 | 31 |
| 85+ 4,270 1,710 | 5,980 | not included in above | e COP costs. | Camps 852 | 15 |
| Total 223,420 218,990 | 442,420 | | | Hotels, Motels 8,116 | 99 |
| | • | <pre>* Waiver costs report</pre> | ted here | Tourist Rooming 25 | 8 |
| Age Female Male | Total | include federal fund | ding. | Pools | 358 |
| 0-17 49,190 51,000 | 100,190 | | | Restaurants | 1,708 |
| 18-44 98,900 101,680 | 200,570 | Clients | s Costs | Vending | 32 |
| 45-64 51,040 49,410 | 100,450 | Eligible and | | | |
| 65+ 24,290 16,890 | 41,180 | Eligible and Waiting 531 | l n/a | | |
| Total 223,420 218,990 | 442,420 | | | | J |
| | | (Family Care not provi | ided in county) | WIC PARTICIPANTS | |
| Poverty Estimates for 2000 | | | | | |
| Estimate (| (C.1.+/-) | == | | | Number |
| All ages 40,243 | 1,037 | Note: Eligible and wai | iting clients | Pregnant/Postpartum | 2,964 |
| 9.4% | (3%) | will be phased into Waivers as available | the COP and MA | Infants | 3,152 |
| All ages 40,243 9.4% Ages 0-17 7,206 7.5% | 352 | Waivers as available | 9. | Children, age 1-4 | 3,894 |
| 7.5% | (5%) | | | Pregnant/Postpartum Infants Children, age 1-4 Total | 10,013 |
| EMPLOYMENT | | } | | | |
| | | Home Health Agencies 7 Primary Site CANCER INCIDENCE (2000 | | | JUU) |
| Average wage for jobs covered by unemployment compensation \$35,371 | | Patients | 6 017 | Primary Site Breast | 300 |
| Notal boood on place of work | • | Dotionto non 10 000 r | 0,917 | Convioal | 34 |
| inote. Daseu on prace of Work | ΛηημοΊ | Factenics per 10,000 | 100 100 | Colorectal | 177 |
| Labor Force Estimates | VIIIII | Nursing Homes | 20 | Lung and Bronchus | 176 |
| Landi Laice Estillates | Average | l licancad hade | 2 055 | Prostate | 175 246 |
| Civilian Labor Force | 279 698 | Occupancy rate | 2,000 85 0% | Other sites | 686 |
| Number employed | 279,090 | Residents on Dec 31 | 1 71Q | Other sites Total | 1,618 |
| Number unemployed | 7 566 | Residents and 65 or a | nlder | TOTAL | 1,010 |
| | 7,300 | ner 1 000 nonulation | 38 | Note: Totals shown are for | |
| Labor Force Estimates Civilian Labor Force Number employed Number unemployed Unemployment rate | 2.1.0 | per 1,000 population | , 00 | invasive cancers only. | |
| | | l | | i intactic danders dinty. | ا ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ |

| | | | | NA | TALITY | | | | |
|---|------------------|------------|----------------------------|------------|-------------------------------------|------------|--|--------------|--------------|
| TOTAL LIVE BIRTHS | | 5.561 | Rirth Or | rder | Rirths | Percent | Marital Status | | |
| | | -, | First | | 2,518 1,877 759 r 407 | 45 | of Mother | Births | Percent |
| Crude Live Birth Rate | <u>ء</u> | 12.6 | Second | | 1.877 | 34 | Married | 4 248 | 76 |
| General Fertility Rat | - - | 51 1 | Third | | 750 | 14 | Not married | 1 313 | 24 |
| delier at Ter criticy have | LG | 51.1 | Founth | on highe | n 407 | 7 | Unknown | 0 | 0 |
| Live births with repo | ant ad | | Unknow | oi litgile | 407 | , | OHKHOWH | U | U |
| Live births with rept | Jirteu | OF 4 00. | Ulikilowi | 1 | U | U | Education | | |
| congenital anomalies | 10 | J5 1.9% | 54 D. | | | | Education | D. Cartella | D |
| | | | | renatal | | | of Mother | Births | Percent |
| Delivery Type | Births | Percent | Visit | _ | Births | Percent | | ess 145 | 3 |
| Vaginal after | | | 1st tri | imester | 4,887 | 88 | Some high school | L 460 | 8 |
| previous cesarean | 94 | 2 | 2nd tri | imester | 578 | 10 | High school Some college | 1,074 | 19 |
| Forceps | 185 | 3 | 3rd tri | imester | 74 | 1 | Some college | 1,179 | 21 |
| Other vaginal | 4,171 | 75 | No visi | its | 22 | <.5 | Some college College graduate Unknown | e 2,690 | 48 |
| Primary česarean | [^] 746 | 13 | Unknowr | า | 578 74 22 0 | 0 | Unknown | ´ 13 | <.5 |
| Repeat cesarean | 365 | 7 | | | _ | - | | | |
| previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown | 0 | 'n | Number o | of Prenat | al | | Smoking Status | | |
| Serior of animown | O | 3 | Care vie | eite | Rinthe | Percent | of Mother | Rinthe | Percent |
| | | Percent | No vici | ite | טט סדו נווס | / 61 Cellt | Smoker | 507 | |
| ∠1 500 am | סדו רווס | 7 EI CEIIL | 1 1 1 10 V T 2] | LLO | 22 75 | \.U | Nonsmoker | 5 050 | 91 |
| <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | 48 | 0.9 | 1-4 | | /5 | 10 | MOUSINOKEL, | 5,052 | 9 [|
| 1,500-2,499 gm | 313 | 5.6 | 5-9 10-12 13+ | | 1,057 | 19 | Unknown | 2 | <.5 |
| 2,500+ gm | 5,200 | 93.5 | 10-12 | | 2,5/4 | 46 | | | |
| Unknown | 0 | 0 | 13+ | | 1,829 | 33 | | | |
| | | | Unknowr | ו | 22 75 1,057 2,574 1,829 | <.5 | | | |
| | | | Low Pinthy | | | Trimos | ton of First Dropat | al Vici+ | |
| | | | (under 2 F | vergiit | 1ct Tr | imactar | 2nd Trimpetor | 0+han/ | Haknowa |
| Race of Mother | Binthe F | Dancan+ | Quiluei 2,0 | proprt | Dintho | Doncon+ | Pinthe Donoont | Dintha | Denoen+ |
| nace or wolller White | Births F | - EI CEIIL | DTI (112 L6 | E O | DTI.CIIQ | 00 | DII (IIS PELCEII) | DTI.(II) | rencent |
| White | 4,701 | 80 | 280 | 5.9 | 4,289 | 90 | 407 9 | 05 | 1 |
| Black | 408 | <u>/</u> | 56 | 13.7 | 301 | /4 70 | 88 22 | 19 | 5 |
| Other | 391 | 7 | 25 | 6.4 | 297 | 76 | 82 21 | 12 | 3 |
| Unknown | | <.5 | * | | * | | ster of First Prenata 2nd Trimester Births Percent 407 9 88 22 82 21 * . | * | |
| | | | Low Birthy | veight | 4.4 T. | Trimes | ster of First Prenata 2nd Trimester Births Percent | al Visit | سنده ما ما ۱ |
| A | F6 | ertility | (under 2,5 | ouu gm) | 1ST Ir | Tillester | 2nd irimester | otner/ | OUKLOWN |
| Age of Mother | | | Births Pe | ercent | Birtns | rercent | Births Percent | RILLUZ | Percent |
| <15 | 7 | | • | • | I | 14 | 3 43 | 3 | 43 |
| 15-17 | 109 | 11 | 9 23 64 104 89 | 8.3 | 67 | 61 | 29 27 | 13 | 12 |
| 18-19 | 219 | 33 | 23 | 10.5 | 163 | 74 | 50 23 | | 3 |
| 20-24 | 919 | 38 | 64 | 7.0 | 721 | 78 | | 37 | 4 |
| 25-29 | 1.490 | 91 | 104 | 7.0 | 1.345 | 90 | | 14 | 1 |
| 30-34 | 1,822 | 110 | 89 | 4.9 | 1,345 1,692 | 93 | | 10 | i |
| | 820 | 47 | 65 | 7.9 | 742 | 90 | | 10 | 1 |
| 35-39 | | | | | | 90 | 00 0 | 10 | |
| 35-39 40+ | | | | | 156 | ΩΩ | 16 0 | 2 | 9 |
| 40+ | 175 | 10 | 7 | 4.0 | 156 | 89 | 16 9 | 3 | 2 |
| | | | | 4.0 | 156 | • | 16 9 race category has le | | |

| MORBIDITY | | | MO F | RTALITY | | | | |
|---|---|-----------|--------------|--|--------------|-----------|--|--|
| | Note: Death rates (| except in | nfant) are p | per 100,000 population. | Infant, | | | |
| REPORTED* CASES OF SELECTED DISEASES | neonatal, and postneonatal´death rates áre per 1,000 live birthś. Perinatal and fetal death rates are per 1,000 live births plus | | | | | | | |
| | fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | | | | | |
| Diameter Number | TOTAL DEATHO | | 0 077 | . 0-1 | | | | |
| Disease Number Campylobacter Enteritis 98 | TOTAL DEATHS Crude Death Ra | 1+0 | 2,677 | Selected Underlying Cause | Doothe | Rate | | |
| Giardiasis 101 | Ciude Death Na | ite | 005 | Heart Disease (total) | 705 | 159 | | |
| Hepatitis Type A 45 | | | | Ischemic heart diseas | | 103 | | |
| Hepatitis Type B** 38 | Age | Deaths | Rate | Cancer (total) Trachea/Bronchus/Lung | | 139 | | |
| Hepatitis NANB/C 231 | 1-4 | .2 | | Trachea/Bronchus/Lung | 164 | 37 | | |
| Legionnaire's 5 Lyme 36 | 5-14 15-19 | 11 14 | • | Colorectal Female Breast | 54 60 | 12 27* | | |
| Monales | 20-34 | 83 | 71 | remaie Breast Cerebrovascular Diseas | e 204 | 46 | | |
| Meningitis, Aseptic 22 | 35-54 | 278 | 205 | Lower Resp. Disease | | 28 | | |
| Meningitis, Bacterial <5 | 55-64 | 239 | 666 | Pneumonia & Influenza | 81 | 18 | | |
| Mumps 0 | 65 - 74 | 392 | 1,922 | Accidents | 120 | 27 | | |
| Pertussis 61 | 75-84 | 797 | 5,382 | Motor vehicle | 51 | 12 | | |
| Salmonellosis 93 Shigellosis 29 | 85+ | 826 | 13,811 | Diabetes Infect./Parasitic Dis. | 62 28 | 14 6 | | |
| Tuberculosis 14 | | | | Suicide | 58 | 13 | | |
| 14251542525 | Infant | | | | | . • | | |
| * 2002 provisional data | Mortality | Deaths | Rate | * Rate for female brea | | based | | |
| ** Includes all positive HBsAg | Total Infant | 35 | 6.3 | on female popula | tion. | | | |
| test results | Mortality Total Infant Neonatal Postneonatal | 24 11 | 4.3 | ALCOHOL AND DRUG ABUSE | AS LINDER | LYTNG | | |
| | Unknown | | • | OR CONTRIBUTING CAU | SE OF DEA | TH | | |
| Sexually Transmitted Disease | | | | | | | | |
| Chlamydia Trachomatis 1,122 | Race of Mother | | 4.0 | Alcohol | 39 | 9 | | |
| Genital Herpes 109 Gonorrhea 355 | White Black | 23 8 | 4.8 | Alcohol Other Drugs Both Mentioned | 47 | 11 | | |
| Syphilis 5 | Other | 4 | | Both Mentioned | 9 | • | | |
| уришто | Unknown | | | MOTOR VEHICL | E CRASHES | | | |
| | Pinthwoight | | | Note: These data are | hacad on | location | | |
| IMMUNIZATIONS | Birthweight <1,500 gm | 19 | _ | of crash, not o | | | | |
| THINGITE IT TORKS | 1.500-2.499 gm | 19 7 | | 31 31 4311, 1131 3 | | | | |
| Children in Grades K-12 by | 2,500+ gm | 9 | | Type of Motor | Persons | Persons | | |
| Compliance Level | Unknown | • | • | Vehicle Crash | Injured | Killed | | |
| COMPLIANT 69,101 | | | | Notal Grasnes | 4,615 504 | 57 20 | | |
| Compliant 69,101 Non-compliant 914 Percent Compliant 98.7 | Perinatal | | | Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: | 304 | 20 | | |
| | Mortality | Deaths | Rate | For OWI | 363 | 3 | | |
| | Total Perinatal Neonatal Fetal | 62 | 11.1 | For Speeding Motorcyclist | 499 | | | |
| | Neonatal | 24 | 4.3 | Motorcyclist | 151 | 4 | | |
| | Fetal | 38 | 6.8 | Bicyclist Pedestrian | 128 | 2 7 | | |
| I | | | | | 120 | | | |

Per Average Charge
DISEASE / 1,000 Stay Average Per
AGE GROUP Number Pop (Days) Charge Per Average Charge Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Capita Injury-Related: All Alcohol-Related Total 3,545 8.0
<18 359 3.6
18-44 1,087 5.4
45-64 880 8.8
65+ 1,219 29.6 4.4 \$14,701 \$118 Total 498 1.1 4.3 \$7,988 \$9 3.0 \$11,177 \$40 18-44 252 1.3 3.8 \$6,650 \$8 4.0 \$15,005 2.0 4.7 \$9,609 \$81 45-64 199 \$19 8.8 4.6 \$15,572 \$136 Pneumonia and Influenza Total 1,157 <18 133 45-64 187 29.6 5.0 \$14,838 \$439 2.6 5.1 \$11,548 \$30 Injury: Hip Fracture 3.9 \$9,204 1.3 \$12 187 1.9 5.1 \$12,590 719 17.5 5.4 \$11,542 Total 326 0.7 5.4 \$18,068 \$13 \$23 291 7.1 5.6 \$18.487 65+ 65+ \$131 \$201 Injury: Poisonings Cerebrovascular Disease 886 2.0 177 1.8 668 16.2 Total 493 1.1 2.3 \$7,009 18-44 288 1.4 2.0 \$6,435 Total 2.0 4.4 \$13,220 \$26 \$8 \$9 45-64 4.6 \$16.596 \$29 4.3 \$11,575 65+ \$188 Chronic Obstructive Pulmonary Disease Psychiatric Total 2,216 5.0 10.0 \$10,109 <18 338 3.4 10.1 \$14,734 Total 728 1.6 3.9 \$8,958
<18 102 1.0 2.1 \$4,416
18-44 108 0.5 3.2 \$7,440
45-64 187 1.9 4.0 \$10,051
65+ 331 8.0 4.7 \$10,235

Drug-Related \$51 \$15 \$50 \$4 18-44 1,120 5.6 9.3 \$8,097 45-64 475 4.7 10.9 \$9,783 65+ 283 6.9 11.7 \$13,091 \$45 \$4 \$46 \$19 \$90 \$82 Total \$3 Coronary Heart Disease 223 0.5 5.9 \$5.945 Total 1,431 3.2 4.1 \$25,199 126 0.6 4.9 \$4,688 \$82 18-44 \$3 45-64 551 5.5 3.7 \$26,244 65+ 817 19.8 4.5 \$24,672 \$144 \$489 Total Hospitalizations Total \$969 42,193 4.0 \$10,159 95.4

 <18</td>
 8,148
 81.3
 3.2
 \$5,325
 \$433

 18-44
 12,904
 64.3
 3.5
 \$7,977
 \$513

 45-64
 8,701
 86.6
 4.3
 \$13,159
 \$1,140

 65+
 12,440
 302.0
 5.0
 \$13,490
 \$4,075

 Malignant Neoplasms (Cancers): All Total 1,356 3.1 5.7 \$18.409 \$56 18-44 152 0.8 5.0 \$18,052 45-64 5.6 4.8 \$16,881 65+ 614 14.9 6.6 \$18,998 \$14 \$95 \$283 ----- PREVENTABLE HOSPITALIZATIONS* ------Neoplasms: Female Breast (rates for female population) Total 4,583 10.4 4.4 \$9,966 <18 511 5.1 2.6 \$6,235 18-44 732 3.6 3.7 \$9,951 45-64 916 9.1 4.7 \$11,444 119 0.5 2.1 \$9,738 \$103 Neoplasms: Colo-rectal \$32 18-44 732 3.6 3.7 \$9,951 45-64 916 9.1 4.7 \$11,444 65+ 2,424 58.9 4.8 \$10,199 Total 169 0.4 8.7 \$22,998 \$36 65+ 115 2.8 9.1 \$23,746 \$66 \$104 Neoplasms: Lung \$600 129 0.3 7.3 \$24,396 \$7 . Total * Hospitalizations for conditions where timely and effective Diabetes Total 446 1.0 4.8 \$13,388 65+ 127 3.1 5.8 \$14,516 ambulatory care can reduce the likelihood of hospitalization. \$13 \$45